

Electrical Accessories

The coolest way to save energy

Ceiling Sweep Fans

Airflow[®]



CLIPSAL[®]
by Schneider Electric

It's a breeze to save energy with Airflow

The Airflow range is expanding

Clipsal's range of Airflow Ceiling Fans just keeps getting bigger and better, providing you with more choice than ever before.

Airflow Ceiling Fans come in three-, four- and five-blade models, with Australia's largest selection of fan controllers, which includes remote controls for added convenience.

With the backing of Clipsal's three-year warranty and trusted after-sales service, you can have peace of mind that you are getting the highest quality and reliability from Australia's number one electrical brand.

A simple way to save energy

Airflow Ceiling Fans are reversible to provide year-round comfort; circulating a cool breeze in summer and directing warm air down from the ceiling in winter.


When cool or warm air is well circulated around a room, air conditioning can operate on a lower setting in winter and summer, which helps reduce power bills. Airflow Ceiling Fans are also economical to run, using minimal electricity.

The right look for your home


Available in a combination of colours and styles, from crisp and contemporary white to the modern look of stainless steel — the Airflow Ceiling Fan range is designed to suit any décor and provide a solution for every lifestyle.

Three-, four- and five-blade fans are supplied with the popular Clipsal C2000 Series Switches. An extensive range of accessories are also available, including remote controls, mounting kits for raked ceilings and oyster light kits.

Reversing switch



Cool air is gently circulated down in summer



Rising warm air is circulated back into the room in winter.

Two types of mounting available



J-Hook Mounting



Hangsure Mounting

Timber Blades

Five-blade ceiling fans



ACES52R5L
1300mm diameter,
with remote control

Black blades one side



Silver blades on the other




The ultimate in good looks and performance

These premium fans are designed to provide maximum performance and quiet operation, with a contemporary style that suits any modern interior décor. Airflow Five-Blade Ceiling Fans come with a remote control, providing greater convenience.

The innovative reversible blade design also gives you the option of black or silver blades to suit your interior décor. This model also comes standard with the light fitting, as shown.

Remote control unit



Features and benefits

- Energy efficient
- Remote control (RF) with cradle
- High-performance airflow
- Quiet operation
- 1300mm (52") diameter to suit most rooms
- Pre-wired with light
- Operate multiple fans from a single remote control
- Three-speed fan wall switch
- ON/OFF light control
- Hangsure mounting bracket
- Three-year warranty

Aluminium Blades

Three-blade ceiling fans

J-Hook Mounting



3JH900AL
900mm diameter



3JH1200AL
1200mm diameter



3JH1400AL
1400mm diameter



Designed to resist the elements

Airflow Ceiling Fans with aluminium blades offer outstanding corrosion resistance in harsh environments, such as coastal regions and high humidity conditions.

A selection of sizes are available, with two mounting options; J-Hook Mounting for flat ceilings and Hangsure Mounting for raked ceilings.

You can also choose either white or metallic finishes, to complement your interior décor.

Aluminium Blades

Hangsure Mounting



3HS900AL
900mm diameter



3HS1200AL
1200mm diameter



3HS1400AL
1400mm diameter



Features and benefits

- Energy efficient
- Three- or four-blade designs
- 900mm (36"), 1200mm (48") and 1400mm (56") models
- White or metallic finishes
- Three-speed fan wall switch
- Light adaptable
- Top and bottom sealed bearings
- Fan reverse switch
- Pre-wired and partly assembled
- Three-year warranty

All models are designed to suit both oyster (OY) and clipper (CLIP) light fittings.

Aluminium Blades

Four-blade ceiling fans

J-Hook Mounting



4JH1200AL
1200mm diameter



4JH1400AL
1400mm diameter

Hangsure Mounting



4HS1200AL
1200mm diameter



4HS1400AL
1400mm diameter



All models are designed to suit both oyster (OY) and clipper (CLIP) light fittings.

Stainless Steel Blades

Three-blade ceiling fans

J-Hook Mounting



3JH1200SS
1200mm diameter



3JH1400SS
1400mm diameter


Hangsure Mounting



3HS1200SS
1200mm diameter



3HS1400SS
1400mm diameter



Fashionable metallic finish

Airflow Ceiling Fans come in a metallic finish to complement modern homes and commercial spaces.

They provide high-performance air movement and feature 304 grade stainless steel blades and an electroplated body, shaft and cowling.

Metallic finish fans are available in three- or four-blade designs, with a remote control and wall cradle.

Features and benefits

- Energy efficient
- Three- or four-blade designs
- 900mm (36"), 1200mm (48") and 1400mm (56") models
- Metallic finish
- Light adaptable
- Three-speed fan wall switch
- Top and bottom sealed bearings
- Fan reverse switch
- Pre-wired and partly assembled
- 304 grade stainless steel blades
- Electroplated body, shaft and cowlings
- Three-year warranty

All models are designed to suit both oyster (OY) and clipper (CLIP) light fittings.

Stainless Steel Blades

Four-blade ceiling fans

Hangsure Mounting



4HS1200SS
1200mm diameter



4HS1400SS
1400mm diameter



All models are designed to suit both oyster (OY) and clipper (CLIP) light fittings.

Remote Control

Three-blade ceiling fans



3HS1200ALR
1200mm diameter



3HS1200SSR
1200mm diameter



The convenience of remote control

Airflow Ceiling Fans come with the handy option of a remote control for greater convenience.

It also makes installation a breeze because no wall switch needs to be installed to operate the fan.

Remote control models are available in three- and four-blade designs with the choice of white or metallic finishes.

Features and benefits

- Energy efficient
- Three- or four-blade designs
- White or metallic finishes
- Three-speed fan wall switch or remote control option
- Light adaptable
- Top and bottom sealed bearings
- Fan reverse switch
- Pre-wired and partly assembled
- Three-year warranty

Four-blade ceiling fans



4HS1200ALR
1200mm diameter



4HS1200SSR
1200mm diameter

All models are designed to suit both oyster (OY) and clipper (CLIP) light fittings.

Rattan Blades

Four-blade ceiling fans



AFLR48
1200mm diameter



AFLR48
1200mm diameter
(Light optional)



Rattan style for a classic look

Designed to complement heritage or classically styled homes, these fans are ideal for those who prefer a more traditional look.

Available with an optional oyster light and a choice of white or beige, with a distinctive brass trim.

Features and benefits

- Energy efficient
- Reversible timber/rattan-look blades
- Three-speed fan wall switch
- Top and bottom sealed bearings
- Fan reverse switch
- Pre-wired and partly assembled
- Three-year warranty

All models are designed to suit both oyster (OY) and clipper (CLIP) light fittings.

Technical Specifications

Cat. No.	No. of Blades	Controller Type	Mounting	Diameter	Colour	Power	Fan Speed (RPM)
Timber Blades							
ACES52R5L-BZ	5	RF Remote	Hangsure	1300mm	Bronze	60W	High 180 / Med 120 / Low 90
Aluminium Blades							
3JH900AL-WE	3	Wall	J-Hook	900mm	White (WE)	65W	High 375 / Med 270 / Low 174
3HS900AL-WE	3	Wall	Hangsure	900mm	White (WE)	65W	High 375 / Med 270 / Low 174
3JH1200AL-WE	3	Wall	J-Hook	1200mm	White (WE)	65W	High 285 / Med 249 / Low 142
3HS1200AL-WE	3	Wall	Hangsure	1200mm	White (WE)	65W	High 290 / Med 250 / Low 142
3JH1400AL-WE	3	Wall	J-Hook	1400mm	White (WE)	65W	High 258 / Med 202 / Low 115
3HS1400AL-WE	3	Wall	Hangsure	1400mm	White (WE)	65W	High 258 / Med 202 / Low 115
4JH1200AL-WE	4	Wall	J-Hook	1200mm	White (WE)	66W	High 275 / Med 223 / Low 140
4HS1200AL-WE	4	Wall	Hangsure	1200mm	White (WE)	66W	High 275 / Med 223 / Low 140
4JH1400AL-WE	4	Wall	J-Hook	1400mm	White (WE)	66W	High 260 / Med 208 / Low 128
4HS1400AL-WE	4	Wall	Hangsure	1400mm	White (WE)	66W	High 260 / Med 208 / Low 128
Metallic Finish							
3JH1200SS-SS	3	Wall	J-Hook	1200mm	Stainless Steel (SS)	65W	High 290 / Med 250 / Low 146
3HS1200SS-SS	3	Wall	Hangsure	1200mm	Stainless Steel (SS)	65W	High 290 / Med 250 / Low 146
3JH1400SS-SS	3	Wall	J-Hook	1400mm	Stainless Steel (SS)	65W	High 280 / Med 225 / Low 136
3HS1400SS-SS	3	Wall	Hangsure	1400mm	Stainless Steel (SS)	65W	High 280 / Med 225 / Low 136
4HS1200SS-SS	4	Wall	Hangsure	1200mm	Stainless Steel (SS)	66W	High 280 / Med 240 / Low 139
4HS1400SS-SS	4	Wall	Hangsure	1400mm	Stainless Steel (SS)	66W	High 270 / Med 217 / Low 128
RF Remote Control							
3HS1200ALR-WE	3	RF Remote	Hangsure	1200mm	White (WE)	60W	High 285 / Med 249 / Low 142
3HS1200SSR-SS	3	RF Remote	Hangsure	1200mm	Stainless Steel (SS)	60W	High 290 / Med 250 / Low 146
4HS1200ALR-WE	4	RF Remote	Hangsure	1200mm	White (WE)	60W	High 275 / Med 223 / Low 140
4HS1200SSR-SS	4	RF Remote	Hangsure	1200mm	Stainless Steel (SS)	60W	High 280 / Med 240 / Low 128
Rattan Timber Blades							
AFLR48-WE	4	Wall	Hangsure	1200mm	White (WE)	60W	High 240 / Med 140 / Low 100

Down Rods (Including Remote Control)

Cat. No.	Description	Colours
DR760X21*	Hangsure 760mm Down Rod	White (WE), Stainless Steel (SS)
DR760X21J*	J Hook 760mm Down Rod	White (WE), Stainless Steel (SS)
DR1200X21*	Hangsure 1200mm Down Rod	White (WE), Stainless Steel (SS)
DR1200X21J*	J Hook 1200mm Down Rod	White (WE), Stainless Steel (SS)

*Add your selected colour to the Cat. No. e.g. DR760X21WE

Mounting Kit

Cat. No.	Description	Colours
HSMK	Hangsure Mounting Kit	White (WE)

Light Kit

Cat. No.	Description	Colours
OYWHT	Oyster Light Kit	White (WHT)
OYSS	Oyster Light Kit	Stainless Steel (SS)
CLIPWHT	Clipper Light Kit	White (WHT)
CLIPSS	Clipper Light Kit	Stainless Steel (SS)

Replacement Blade Sets

Cat. No.	Description	Colours
3B900AL-WE	3 x Blades for 3**900* Fans	White (WE)
3B1200AL-WE	3 x Blades for 3**1200* Fans	White (WE)
3B1200SS-SS	3 x Blades for 3**1200* Fans	Stainless Steel (SS)
3B1400AL-WE	3 x Blades for 3**1400* Fans	White (WE)
3B1400SS-SS	3 x Blades for 3**1400* Fans	Stainless Steel (SS)

For more information about Airflow Ceiling Fans, contact your local Clipsal and Schneider Electric Partner Business Representative, electrical wholesaler or visit clipsal.com

Schneider Electric (Australia) Pty Ltd

33-37 Port Wakefield Road
Gepps Cross
South Australia 5094
PO Box 132, Enfield Plaza
South Australia 5085

National Customer Care
Enquiries: 1300 369 233
Email: plugin@clipsal.com.au
Access this document directly:
clipsal.com/brochures

Schneider Electric (Australia) Pty Ltd reserves the right to change specifications, modify designs and discontinue items without incurring obligation and whilst every effort is made to ensure that descriptions, specifications and other information in this catalogue are correct, no warranty is given in respect thereof and the company shall not be liable for any error therein.

Trademarks are owned by Schneider Electric Industries SAS or its affiliated companies.

This document has been printed using FSC Mix Certified paper. ISO 14001 environmental management system in use at mill.